


# TOUGH & RELIABLE EVERY INCH A HILUX

## TOYOTA HILUX



Disclaimer: Toyota Motor Philippines Corporation reserves the right to change the vehicle specifications without prior notice. Vehicle featured is Toyota Hilux.


# TOUGH AND RELIABLE



**ENGINE** - More Powerful and Fuel Efficient 2.4L Direct Injection Diesel Engine with 400Nm (Hilux 4X4 J) and 343 Nm (4X2 Hilux J, Hilux Cab & Chassis).




**GROUND CLEARANCE** - Keep Operations Going and Deliver No Matter What the Road Condition. 195mm (Hilux 4x2J) and 310mm (Hilux 4x4J)




**HIP POINT & DRIVER VISIBILITY** - More Visibility and Ease of Entrance & Exit. (Featured in this photo is the Hilux 4x2J)



**CABIN COMFORTABILITY** - Comfort for Long Drives with Airconditioning, Spacious Legroom, a USB Charger, & 2DIN Audio.



**IMMOBILIZER** - Precaution & Protection for Owners.



**ANTI-LOCK BRAKE SYSTEM (ABS)** - Security & Control on the Road.



**AIRBAGS** - Safety & Assurance for Passengers.

\*Vehicles and specifications may vary from actual units

# FARMING AND AGRICULTURE

# HILUX J

910 KG\*

MAXIMUM PAYLOAD CAPACITY -  
Strength & Durability for Deliveries.  
\*Hilux 4x4J

\*FEATURED IN THIS PHOTO IS THE HILUX 4X4 J.

# CONSTRUCTION AND DEVELOPMENT



SPACIOUS DECK -  
Ample Area for Tools & Equipment

# FLEXIBILITY AND CUSTOMIZATION

# HILUX CAB & CHASSIS



Dropside Conversion\*

Refrigerator Conversion\*


Other Conversion Options\*

CONTACT YOUR TOYOTA DEALER  
ABOUT YOUR CONVERSION OPTIONS  
\*suggested customization options

# MOBILITY AND TRANSPORTATION **HILUX FX**



Foldable Seats for Flexibility and Convenience. Non-Slip Floors for Passenger Safety.



Height-Appropriate Steps to Ride and Load with Ease.



Assist Grips and Aircon for Rear Passengers.



# LOGISTICS AND DISTRIBUTION **HILUX CARGO**



Spacious Cargo Area for Up to 24 Boxes\*\*



Windowless Cargo Box for Security & Safety.



\*\*Box dimension: L457 x W457 x H610 mm

MODEL	HILUX					
	VARIANT	J		FX	Cargo	Cab & Chassis
		2.4 4X2 M/T	2.4 4X4 M/T	2.4 4X2 M/T	2.4 4X2 M/T	2.4 4X2 M/T
<b>OVERALL DIMENSIONS</b>						
Length x Width x Height	mm	5,290 x 1,800 x 1,700	5,285 x 1,800 x 1,815	5,490 x 1,800 x 2,014		
Payload Capacity	kg	1,055	910	930	1,005	
Seating Capacity		Fr: 2 + Rr: 3		Fr: 3 + Rr: 12	Fr: 3	
<b>ENGINE &amp; TRANSMISSION</b>						
Model		2GD-FTV (Low)	2GD-FTV (High)	2GD-FTV (Low)		
Type		2.4L Diesel, 4-Cylinder, 16-Valve DOHC Variable Nozzle Turbo with Air-cooled Intercooler				
Displacement		2,393 cc				
Max Output	PS / Rpm	150 / 3,400				
Max Torque	Nm / Rpm	343 / 1,400 - 2,800	400 / 1,600 - 2,000	343 / 1,400 - 2,800		
Fuel Type		Diesel				
Transmission		5-Speed MT	6-Speed MT	5-Speed MT		
<b>CHASSIS</b>						
Auto Disconnect Differential		-	With	-		
Differential Lock		-	With	-		
Suspension		Fr: Double Wishbone + Rr: Leaf Spring Rigid Axle				
Brakes		Fr: Ventilated Discs + Rr: Drum Type				
Tires / Wheels		205 / 70 R15 Steel	225 / 70 R17 Steel	205 / 70 R15 Steel		
Spare Tire		With				
<b>EXTERIOR</b>						
Exterior color		Super White (040)				
Headlamps		Multi-Reflector Halogen				
Rear Combination Lamp		Halogen Bulb				
Outside Rear View Mirror		Manual Adjust				
Windshield Wiper		With Intermittent		With		
Tailgate Handle		Black Material		-		
Mudguards		Front + Rear		-		
<b>INTERIOR</b>						
Seat Material		Fabric		Vinyl		
Front Seat Adjustment		D: 4-Way Manual Adjust / P: 4-Way Manual Adjust		D: 4-Way Manual Adjust / P: 2-Way Manual Adjust		
Steering Type		Power Steering				
Steering Column		Tilt & Telescopic		Tilt		
Steering Wheel Material		Urethane				
Assist Grip		Fr: 4 + Rr: 4		Fr: 1 + Rr: 2	Fr: 1	
Cup / Bottle Holder	Front	Cupholder: 4 + Bottleholder: 4		Cupholder: 4 + Bottleholder: 2		
Illuminated Entry System		With				
<b>FUNCTION</b>						
Ignition System		Rotary Type				
Drive Mode Select		-	Eco + Power	-		
Airconditioning System	Front	Manual Control				
	Rear	-	Manual Control	-		
Audio System	Type	2DIN				
	Function	AM / FM / Bluetooth / USB / AUX / CD				
	Speakers	2				
Accessory Outlet (12V)		Center Cluster: x1				
<b>SAFETY</b>						
SRS Airbags		Driver + Front Passenger + Driver Knee				
ABS (Anti-Lock Brake System)		With				
Seatbelts	Front Seats	3 pt. ELR x 2 + Pretensioner + Force Limiter		3 pt. ELR x 2 + 2 pt. NR + Pretensioner + Force Limiter		
	Rear Seats	3 pt. ELR x 3		-		
Toyota Vehicle Security System (TVSS)		Immobilizer				

Toyota Fleet Solutions



www.toyota.com.ph




ToyotaMotorPhilippines

ToyotaMotorPH

TOYOTA MOTOR PHILIPPINES CORPORATION  
Customer Assistance Center Hotline (CAC): (02) 8819-2912

ITEM # 2111A-13B





**TOYOTA**